

PUSH ON HOSE FITTINGS



**Western Valve
& Fitting**

**(925-443-8500)
4355 Technology Drive
Livermore, CA 94551**

Table of Contents


Tube Fittings Page 2

Tube Adapters Page 2

Unions Page 2


Male Connectors Page 2

Tube Fitting




Part No.	End Connections		Dimensions				
	Hose Nominal Sizes	Tube Fittings	Blue Cap OD	Body Hex	Nut Hex	A	B
						inch (mm)	
SPFC-4-4	1/4	1/4	0.68 (17.4)	1/2	9/16	1.97 (50.0)	1.21 (30.7)
SPFC-6-6	3/8	3/8	0.84 (21.5)	5/8	11/16	2.11 (53.6)	1.24 (31.5)
SPFC-8-8	1/2	1/2	0.98 (24.9)	13/16	7/8	2.47 (62.7)	1.42 (36.1)

Tube Adapter




Part No.	End Connections		Dimensions in. (mm)			
	Hose Nominal Sizes	Tube Adapter	Blue Cap OD	Body Hex	A	B
SPFA-4-4	1/4	1/4	0.68 (17.4)	9/16	1.93 (49.0)	1.17 (29.7)
SPFA-6-6	3/8	3/8	0.84 (21.5)	3/4	2.03 (51.6)	1.16 (29.5)
SPFA-8-8	1/2	1/2	0.98 (24.9)	7/8	2.47 (62.7)	1.42 (36.1)
SPFA-12-12	3/4	3/4	1.26 (32.2)	1-1/16	3.14 (79.8)	1.48 (37.6)
SPFA-4-6	1/4 in.	6 mm	0.68 (17.4)	9/16	1.93 (49.0)	1.17 (29.7)
SPFA4-8		8 mm	0.68 (17.4)	9/16	1.97 (50.1)	1.16 (29.5)
SPFA-6-8	3/8 in.	8 mm	0.84 (21.5)	3/4	2.0 (50.9)	1.18 (30.0)
SPFA-6-10		10 mm	0.84 (21.5)	3/4	2.03 (51.6)	1.16 (29.5)
SPFA-8-12	1/2 in.	12 mm	0.98 (24.9)	7/8	2.47 (62.7)	1.42 (36.1)
SPFA-12-18	3/4 in.	18 mm	1.26 (32.2)	1-1/16	3.14 (79.8)	1.48 (37.6)

Union



Part No.	End Connections		Dimensions			
	Hose Nominal Sizes	Blue Cap OD	Body Hex	A	B	
				inch (mm)		
SPFU-4-4-S	1/4	0.68 (17.4)	9/16	2.07 (52.6)	1.41 (36.0)	
SPFU-6-6-S	3/8	0.84 (21.5)	3/4	2.25 (57.2)	1.38 (35.2)	
SPFU-8-8-S	1/2	0.98 (24.9)	7/8	2.61 (66.3)	1.56 (39.8)	
SPFU-12-12-S	3/4	1.26 (32.2)	1-1/16	3.87 (98.4)	2.21 (56.2)	

Male Connectors



Part No.	End Connections		Dimensions in. (mm)			
	Hose Nominal Sizes	Male Pipe Thread	Blue Cap OD	Body Hex	A	B
SPFP-4-4N	1/4	1/4 NPT	0.68 (17.4)	9/16	1.68 (42.7)	0.92 (23.4)
SPFP-6-4N	3/8		0.84 (21.5)	11/16	1.80 (45.7)	0.93 (23.7)
SPFP-6-6N		3/8 NPT	11/16			
SPFP-8-8N	1/2	1/2 NPT	0.98 (24.9)	7/8	2.19 (55.6)	1.14 (29.1)
SPFP-12-12N	3/4	3/4 NPT	1.26 (32.2)	1-1/16	2.81 (71.4)	1.15 (29.2)
SPFP-4-4R	1/4	1/4 BSPT	0.68 (17.4)	9/16	1.68 (42.7)	0.92 (23.4)
SPFP-6-6R	3/8	3/8 BSPT	0.84 (21.5)	11/16	1.80 (45.7)	0.93 (23.7)
SPFP-8-8R	1/2	1/2 BSPT	0.98 (24.9)	7/8	2.19 (55.6)	1.14 (29.1)
SPFP-12-12R	3/4	3/4 BSPT	1.26 (32.2)	1-1/16	2.81 (71.4)	1.15 (29.2)